



steel

stainless innovation


listino - price list

18



steel


stainless innovation



La serie STEEL è realizzata completamente in ACCIAIO
STEEL range is completely STAINLESS STEEL made

AC acciaio steel

steel




Miscelatore incasso vasca/doccia (2 uscite) completo di:

- cartuccia deviatore
- piastra in acciaio inox 325x122mm
- bocca con aeratore

Concealed bath/shower mixer (2 outlets) complete with:

- diverter cartridge
- stainless steel wall plate 325x122mm
- spout with aerator

STEEL 001.. **Finiture - Finishes** **EUR**
 senza set doccia **AC**
 without shower set




Miscelatore incasso vasca/doccia (2 uscite) completo di:

- cartuccia deviatore
- piastra in acciaio inox 325x122mm
- bocca con aeratore

Concealed bath/shower mixer (2 outlets) complete with:

- diverter cartridge
- stainless steel wall plate 325x122mm
- spout with aerator

STEEL 002.. **Finiture - Finishes** **EUR**
 con doccia Minimal Steel e flessibile **AC**
 with Minimal Steel hand-shower and flexible hose



Miscelatore incasso doccia (1 uscita) completo di:


- piastra in acciaio inox Ø70mm
- attacchi 1/2 inch G

Concealed shower mixer (1 outlet) complete with:

- stainless steel wall plate Ø70mm
- 1/2 inch G connections

STEEL 010.. **Finiture - Finishes** **EUR**
 senza deviatore **AC**
 without diverter

ZPRO 082.. **AC**
 Prolunga per art. 010 **AC**
 • H38mm
 Extension for art. 010
 • H38mm



Miscelatore incasso doccia (2 uscite) completo di:

- piastra in acciaio inox Ø55mm
- piastra in acciaio inox Ø70mm
- attacchi 1/2" G

Concealed shower mixer (2 outlets) complete with:

- stainless steel wall plate Ø55mm
- stainless steel wall plate Ø70mm
- 1/2" G connections

STEEL 015..

con cartuccia deviatore
with diverter cartridge

Finiture - Finishes **EUR**
AC

ZPRO 081..

Prolunga per art. 015


- H38mm

Extension for art. 015

- H38mm

AC

new



Miscelatore incasso lavabo completo di:

- piastre in acciaio Ø70mm
- attacchi 1/2" G


Concealed single lever basin mixer complete with:

- stainless steel wall plates Ø70mm
- 1/2" G connections

STEEL 006.. 70

con bocca e aeratore - l. 250mm
with spout and aerator - l. 250mm

Finiture - Finishes **EUR**
AC



Miscelatore incasso lavabo completo di:

- piastra in acciaio inox 185x110mm
- attacchi 1/2" G

Concealed single lever basin mixer complete with:


- stainless steel wall plate 185x110mm
- 1/2" G connections

STEEL 101..

con bocca e aeratore - l. 225mm
with spout and aerator - l. 225mm

Finiture - Finishes **EUR**
AC

steel



Miscelatore vasca/doccia con deviatore completo di:

- aeratore
- set 2 eccentrici 1/2"x3/4"G e rosoni


Bath/shower mixer with diverter complete with:

- aerator
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

STEEL 022.. **Finiture - Finishes** **EUR**
 senza set doccia **AC**
 without shower set

STEEL 026.. **Finiture - Finishes** **EUR**
 con supporto a muro fisso in acciaio inox **AC**
 with stainless steel fixed wall bracket

- con doccia e flessibile
- with hand-shower and flexible hose



Miscelatore lavabo completo di:


- aeratore
- set 2 flessibili inox 3/8"G - 450mm

Wash basin mixer complete with:

- aerator
- set of 2 stainless steel hoses 3/8"G - 450mm

STEEL 071.. **Finiture - Finishes** **EUR**
 senza scarico **AC**
 without pop up waste

STEEL 075.. **Finiture - Finishes** **EUR**
 con scarico automatico 1"1/4G **AC**
 with 1"1/4G pop up waste




Miscelatore lavabo prolungato completo di:

- aeratore
- set 2 flessibili inox 3/8"G - 450mm

Tall wash basin mixer complete with:


- aerator
- set of 2 stainless steel hoses 3/8"G - 450mm

STEEL 081.. **Finiture - Finishes** **EUR**
 senza scarico **AC**
 without pop up waste



- Miscelatore bidet completo di:
- snodo e aeratore
 - set 2 flessibili inox 3/8"G - 450mm
- Bidet mixer complete with:
- swivel joint and aerator
 - set of 2 stainless steel hoses 3/8"G - 450mm

STEEL 131..	Finiture - Finishes	EUR
senza scarico without pop up waste	AC	
STEEL 135..		
con scarico automatico 1"1/4G with 1"1/4G pop up waste	AC	




- Miscelatore doccia completo di:
- set 2 eccentrici 1/2"x3/4"G e rosoni
- Shower mixer complete with:
- set of 2 S-wall-unions 1/2"x3/4"G and wall-plates

STEEL 168R..	Finiture - Finishes	EUR
rovesciato senza set doccia • con attacco superiore 1/2"G • per colonna doccia ZCOL501 overturned without shower set	AC	
• with 1/2"G upper connection • for shower column ZCOL501		

* Solo in abbinamento con colonne doccia
* To be used with shower columns only

termostatico - thermostatic




- Miscelatore termostatico doccia (2 uscite) completo di:
- cartuccia deviatore
 - set 2 eccentrici 1/2"x3/4"G e rosoni
 - attacchi 1/2"G
- Thermostatic shower mixer (2 outlets) complete with:
- diverter cartridge
 - set of 2 S-wall-unions 1/2"x3/4"G and wall-plates
 - 1/2"G connections

STEELQ 168R..	Finiture - Finishes	EUR
rovesciato senza set doccia • con attacco superiore 1/2"G • per colonna doccia ZCOL500 overturned without shower set	AC	
• with 1/2"G upper connection • for shower column ZCOL500		

* Solo in abbinamento con colonne doccia
* To be used with shower columns only

steel




Miscelatore lavello monoforo completo di:

- aeratore
- set 2 flessibili inox 3/8"G - 450mm

One-hole sink mixer complete with:

- aerator
- set of 2 stainless steel hoses 3/8"G - 450mm

STEEL2 180. **Finiture - Finishes** **EUR**
 con canna orientabile **AC**
 with swivelling spout




Miscelatore lavello monoforo con canna orientabile completo di:

- set 2 flessibili inox 3/8"G - 450mm
- 1 flessibile nylon 1/2"G x M15x1 cm. 150 con piombo

One-hole sink mixer with swivelling spout complete with:

- set of 2 stainless steel hoses 3/8"G - 450mm
- 1/2"-M15x1 / L.1500 mm nylon hose with weight

STEEL2 185. **Finiture - Finishes** **EUR**
 con doccia estraibile (monogetto) in **AC**
 acciaio inox
 with (single spray) stainless steel pull out
 hand-shower



Colonna doccia regolabile STEEL completa di:

- cartuccia deviatore
- supporti regolabili
- doccia Minimal Steel in acciaio inox
- soffione STEEL tondo Ø230mm in acciaio inox
- flessibile 1500mm


STEEL adjustable shower column complete with:

- diverter cartridge
- adjustable wall brackets
- Minimal Steel stainless steel hand-shower
- STEEL Ø230mm "Round" stainless steel shower head
- Flexible hose 1500mm

ZCOL 500 STEEL TOP **Finiture - Finishes** **EUR**
 con miscelatore termostatico STEELQ **AC**
 168RAC (con deviatore)
 with thermostatic shower mixer STEELQ
 168RAC (with diverter)

ZCOL 501 STEEL **AC**
 con miscelatore STEEL 168RAC
 with shower mixer STEEL 168RAC

new



Saliscendi STEEL SOFT completo di:

- asta $\varnothing 19$ x L.700 mm in acciaio inox
- supporti regolabili in acciaio inox
- supporto doccia scorrevole in acciaio inox
- doccia Soft Steel in acciaio inox
- flex metallo doppia aggraffatura 1500 mm con calotta conica girevole

STEEL SOFT sliding rail shower set complete with:

- stainless steel rod $\varnothing 19$ x L.700 mm
- adjustable stainless steel wall brackets
- stainless steel slider bracket
- Soft Steel stainless steel hand-shower
- double interlock twist-free metal flexible hose 1500 mm with conical nut


ZSAL 200 STEEL SOFT

Finiture - Finishes **EUR**

con interasse 600 mm
with distance between centres 600 mm

AC

new



Pres a acqua a muro Steel in acciaio inox completa di:

- attacchi 1/2"G

Steel stainless steel water wall intake complete with:

- 1/2"G connections

ZACC 416 STEEL

Finiture - Finishes **EUR**

senza piastra
without wall plate

AC



Braccio doccia Steel completo di:

- rosone tondo - $\varnothing 70$ mm
- attacchi 1/2"G

Steel shower arm complete with:


- round wall plate - $\varnothing 70$ mm
- 1/2"G connections

ZSOF 111 STEEL


Finiture - Finishes **EUR**

con lunghezza l. 400mm
with length l. 400mm

AC



steel



Soffione STEEL "Tondo" in acciaio inox:

- anticalcare
- spessore 6mm
- con snodo 1/2"G

STEEL "Round" stainless steel shower head:

- antiscala system
- 6mm thickness
- 1/2"G swivel joint

ZSOF 112 STEEL



Ø230mm

Ø230mm

Finiture - Finishes

AC

EUR



Soffione STEEL "Tondo" in acciaio inox:

- anticalcare
- spessore 6mm
- con snodo 1/2"G

STEEL "Round" stainless steel shower head:

- antiscala system
- 6mm thickness
- 1/2"G swivel joint

ZSOF 113


Ø300mm

Ø300mm

Finiture - Finishes

AC

EUR



Doccia Minimal Steel completa di:

- attacco 1/2"G

Minimal Steel hand-shower complete with:

- 1/2"G connection

ZDOC 109 MINIMAL STEEL


(monogetto) in acciaio inox

(single spray) stainless steel

Finiture - Finishes

AC

EUR



Doccia Soft Steel completa di:

- attacco 1/2"G

Soft Steel hand-shower complete with:

- 1/2"G connection

ZDOC 111 SOFT STEEL


(monogetto) in acciaio inox

(single spray) stainless steel

Finiture - Finishes

AC


EUR



- Set doccia incasso tondo completo di:
- doccia Minimal Steel (monogetto) in acciaio inox
 - supporto incasso tondo in acciaio inox
 - flessibile doppia aggraffatura 1/2"x1/2"G/L. 1500mm


- Round concealed shower set complete with:
- Minimal Steel (single spray) stainless steel hand-shower
 - round concealed stainless steel fixed bracket
 - 1/2"x1/2"G/L. 1500 mm double interlock flexible hose

ZDUP 103 STEEL **Finiture - Finishes** **EUR**
 con presa acqua incorporata **AC**
 with built-in water inlet




- Supporto incasso tondo in acciaio inox completo di:
- piastra Ø55mm
 - attacchi 1/2"G
- Round concealed stainless steel fixed bracket complete with:
- wall plate Ø55mm
 - 1/2"G connections

ZSUP 033. STEEL **Finiture - Finishes** **EUR**
 con presa acqua incorporata **AC**
 • per art. ZDUP103
 with built-in water inlet
 • for art. ZDUP103



- Supporto fisso tondo in acciaio inox
 Stainless steel round fixed bracket

ZSUP 034 STEEL **Finiture - Finishes** **EUR**
 per artt. 002-026-168D **AC**
 for artt. 002-026-168D



- Scarico Clic-Clac 1"1/4G completo di:
- troppo pieno
- 1"1/4G Clic-Clac press top waste complete with:
- overflow

ZSCA 069. STEEL **Finiture - Finishes** **EUR**
 regolabile 15mm **AC**
 • per artt. 071-081-131
 adjustable for 15mm
 • for artt. 071-081-131


steel



Scarico normale 1"1/4G
1"1/4G pop-up waste

ZSCA 070.. STEEL
per artt. 075-135
for artt. 075-135

Finiture - Finishes **EUR**
AC



Sifone a bottiglia Steel
Steel bottle trap

ZACC 395 STEEL
con attacco 1"1/4G
with 1"1/4G connection

Finiture - Finishes **EUR**
AC

Finiture - Finishes EUR



ZA91350 Cartuccia completa Ø25 per artt. 071-075-081-131-135
Complete cartridge Ø25mm for artt. 071-075-081-131-135

Finiture - Finishes EUR



ZA91102R Cartuccia completa Ø40 senza distributore con regolazione per artt. 006..70-010-015-168R-180-185
Complete cartridge Ø40 mm without distributor with regulation for artt. 006..70-010-015-168R-180-185

ZA91104R Cartuccia completa Ø35 senza distributore con regolazione per artt. 001-002-101
Complete cartridge Ø35 mm without distributor with regulation for artt. 001-002-101

Finiture - Finishes EUR



ZA91103R Cartuccia completa Ø35 con distributore con regolazione per artt. 168-168D
Complete cartridge Ø35 mm with distributor with regulation for artt. 168-168D

Finiture - Finishes EUR



ZA91360 Cartuccia completa Ø40 con deviatore vasca/doccia per artt. 022-026
Complete cartridge Ø40 mm with diverter bath/shower for artt. 022-026

Finiture - Finishes EUR



ZVIT083 Cartuccia deviatore Ø25 mm per artt. 015 / ZCOL500-501
Diverter cartridge Ø25 mm for artt. 015 / ZCOL500-501

Finiture - Finishes EUR



ZVIT082 Cartuccia deviatore Ø35 mm per artt. 001-002
Diverter cartridge Ø35 mm for artt. 001-002

Finiture - Finishes EUR



ZVIT081 Cartuccia Apertura/Chiusura Ø35 mm per art. STEELQ 168R
Opening/Closing cartridge Ø35 mm for art. STEELQ 168R

Finiture - Finishes EUR
AC



ZVIT080 Cartuccia termostatica con maniglia graduata per art. STEELQ 168R
Thermostatic cartridge with graduated handle for art. STEELQ 168R

			<u>Finiture - Finishes</u>	<u>EUR</u>
	ZAER031	Solo cartuccia per aeratore per artt. 001-002-101-STEEL2 180 Internal cartridge for aerator for artt.001-002-101-STEEL2 180		
	ZAER113	Aeratore a scomparsa Ø 18,5x1M per artt. 071-075-081-131-135 Hidden aerator Ø 18,5x1M for artt. 071-075-081-131-135	<u>Finiture - Finishes</u>	<u>EUR</u>
	ZFIS-STEEL2	Set di fissaggio per artt. STEEL2 180 Fixing set for artt. STEEL2 180	<u>Finiture - Finishes</u>	<u>EUR</u>
	ZFIS-STEEL2185	Set di fissaggio per artt. STEEL2 185 Fixing set for artt. STEEL2 185		
	ZFIS-STEEL075	Set di fissaggio per artt. 071-075-081-131-135 Fixing set for artt. 071-075-081-131-135	<u>Finiture - Finishes</u>	<u>EUR</u>
	ZFLX101	Set 2 flex inox SOFT PEX F3/8 cm. 45 per artt. 081 / STEEL2 180-185 Set of 2 F3/8 stainless steel hoses cm. 45 SOFT PEX for artt. 081 / STEEL2 180-185	<u>Finiture - Finishes</u>	<u>EUR</u>
	ZFLX102	Set 2 flex inox SOFT PEX F3/8 cm. 45 per artt. 071-075-131-135 Set of 2 F3/8 stainless steel hoses cm. 45 SOFT PEX for artt. 071-075-131-135	CRPX	
	ZFLX135	Set 2 flex inox M1/2 per artt. 001-002-101 set of 2 stainless steel hoses M1/2 for artt. 001-002-101	CRPX	
			CR	
	ZFLO072	Flessibile 1500 mm doppia aggraffatura e calotta conica per artt. 002-026-168D / ZCOL500-501 / ZSUP103 Flexible hose 1500 mm double interlock and conical nut for artt. 002-026-168D / ZCOL500-501 / ZSUP103	<u>Finiture - Finishes</u>	<u>EUR</u>
			AC	
	ZFLO070	Flessibile nylon F1/2" - M15x1 mm.1500 con peso ecologico per artt. 185 F1/2" - M15x1 mm.1500 nylon hose with weight for artt. 185	<u>Finiture - Finishes</u>	<u>EUR</u>
			AC	
	ZDOC108	Doccia monogetto in acciaio inox per artt. STEEL2 185 Stainless steel single-spray hand-shower for artt. STEEL2 185	<u>Finiture - Finishes</u>	<u>EUR</u>
			AC	



since
1953



Rubinetteria Paffoni S.p.A.

Via Soriso, 2
28076 - Pogno (NO)
Tel. +39 0322 97321/2
Fax +39 0322 97414
info@paffoni.it

www.paffoni.it